

***GODDARD***

**CATÁLOGO 2023**



**GODDARD**

**GODDARD**



**NOM**

# TRANSFORCE 100

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
175/60R13	77	H	5.00B	177	540	412	908	300	44
155/65R13	73	T	4.50B	157	532	365	805	300	44
165/65R13	77	T	5.00B	170	544	412	908	300	44
155/70R13	75	T	4.50B	157	548	387	853	300	44
165/70R13	79	T	5.00B	170	562	437	963	300	44
175/70R13	82	T	5.00B	177	576	475	1047	300	44
165/60R14	75	T	5J	170	544	387	853	300	44
185/60R14	82	H	5 1/2J	189	578	475	1047	300	44
195/60R14	86	H	6J	201	590	530	1168	300	44
175/65R14	82	H	5J	177	584	475	1047	300	44
185/65R14	86	H	5 1/2J	189	596	530	1168	300	44
165/70R14	81	T	5.00B	170	588	462	1019	300	44
175/70R14	84	H	5.00B	177	602	500	1102	300	44
185/70R14	88	H	5 1/2J	189	616	560	1235	300	44
195/70R14	91	H	6J	201	630	615	1356	300	44
195/50R15	82	H	6J	201	577	475	1047	300	44

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
185/55R15	82	V	6J	194	585	475	1047	300	44
195/55R15	85	V	6J	201	595	515	1135	300	44
185/60R15	84	H	5 1/2J	189	603	500	1102	300	44
195/60R15	88	V	6J	201	615	560	1235	300	44
185/65R15	88	T	5 1/2J	189	621	560	1235	300	44
195/65R15	91	V	6J	201	635	615	1356	300	44
205/65R15	94	V	6J	209	647	670	1477	300	44
205/55R16	91	V	6 1/2J	214	632	615	1356	300	44
215/55R16	97	V	7J	226	642	730	1609	340	50
225/55R16	95	V	7J	233	654	690	1521	300	44
185/60R16	86	H	5 1/2J	189	628	530	1168	250	42
195/60R16	89	H	6J	201	640	580	1279	300	44
205/60R16	92	H	6J	209	652	630	1389	300	44
215/60R16	95	H	6 1/2J	221	664	690	1521	300	44
225/60R16	98	V	6 1/2J	228	676	750	1653	300	44
215/65R16	98	H	6 1/2J	221	686	750	1653	300	44

**GODDARD**

**GODDARD**



# TRANSFORCE 168 NOM

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
175/70R14	84	H	5.00B	177	602	500	1102	300	44
185/70R14	88	T	5 1/2J	189	616	560	1235	300	44
195/65R15	91	V	6J	201	635	615	1356	300	44
205/55R16	91	V	6 1/2 J	214	632	615	1356	300	44
205/60R16	92	H	6J	209	652	630	1389	300	44
215/60R16	95	H	6 1/2 J	221	664	690	1521	300	44
205/50R17	87	V	6 1/2 J	214	638	650	1433	340	50
215/50R17	91	W	7J	226	648	690	1521	340	50



# LIBERUD GL268 NOM

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
165R13C 8PR	94/93	R	4.50B	165	594	670/650	1477/1433	450	65
185R14C8PR	102/100	Q	5 1/2J	188	650	850/800	1875/1765	450	65
185R15C 8PR	103/102	Q	5 1/2J	188	674	875/850	1930/1875	450	65
195R15C 8PR	106/104	R	5 1/2J	198	690	950/900	2094/1984	450	65
195/70R15C 8PR	104/102	Q	6J	201	655	900/850	1984/1874	450	65



# TRANSFORCE 300 NOM

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
205/40ZR17	84	W	7 1/2J	212	596	500	1102	340	50
205/45ZR17	88	W	7J	206	616	560	1235	340	50
215/45ZR17	91	W	7J	213	626	615	1356	340	50
225/45ZR17	94	W	7 1/2J	225	634	670	1477	340	50
235/45ZR17	97	W	8J	236	644	730	1609	340	50
245/45ZR17	99	W	8J	243	652	775	1709	340	50
205/50ZR17	93	W	6 1/2J	214	638	650	1433	340	50
215/50ZR17	95	W	7J	226	648	690	1521	340	50
225/50ZR17	98	W	7J	233	658	750	1653	340	50
235/50ZR17	100	W	7 1/2J	245	668	800	1764	340	50
215/55ZR17	98	W	7J	226	668	750	1653	340	50
225/55ZR17	101	W	7J	233	680	825	1819	340	50
235/55ZR17	103	W	7 1/2J	245	690	875	1929	340	50
215/40ZR18	89	W	7 1/2J	218	629	580	1279	340	50
225/40ZR18	92	W	8J	230	637	630	1389	340	50
235/40ZR18	95	W	8 1/2J	241	645	690	1521	340	50
245/40ZR18	97	W	8 1/2J	248	653	730	1609	340	50
215/45ZR18	93	W	7J	213	651	650	1433	340	50
225/45ZR18	95	W	7 1/2J	225	659	690	1521	340	50
235/45ZR18	98	W	8J	236	669	750	1653	340	50
245/45ZR18	100	W	8J	243	677	800	1764	340	50
195/55R16	87	V	6J	201	620	545	1200	300	44

**GODDARD**

**GODDARD**



# CRADec GC688 NOM

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
215/75R15	100	S	6J	216	703	800	1764	350	50
LT235/75R15	110/107	S	6 1/2J	235	733	1060/975	2335/2150	450	65
235/70R16	106	T	7J	240	736	950	2094	350	51
245/70R16	111 XL	T	7J	248	750	1090	2403	340	50
265/70R16	112	T	8J	272	778	1120	2469	350	51
265/65R17	112	H	8J	272	776	1120	2469	300	44



# TRANSFORCE 568 NOM

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
215/70R16	100	T	6 1/2J	221	708	800	1764	300	44
225/70R16	103	T	6 1/2J	228	722	875	1929	300	44
215/60R17	96	H	6 1/2J	221	690	710	1565	300	44
225/60R17	99	V	6 1/2J	228	702	775	1709	300	44
225/65R17	102	V	6 1/2J	228	724	850	1874	300	44
235/65R17	108 XL	H	7J	240	738	1000	2205	340	50
265/65R17	112	H	8J	272	776	1120	2469	250	42
215/55R18	95	V	7J	226	693	690	1521	300	44
235/55R18	100	V	7 1/2J	245	715	800	1764	300	44
235/60R18	107 XL	H	7J	240	739	975	2149	340	50
235/65R18	106	H	7J	240	763	950	2094	300	44
225/55R19	99	V	7J	233	731	775	1709	300	44
235/55R19	105 XL	V	7 1/2J	245	741	925	2039	340	50
245/55ZR19	103	W	7 1/2J	253	753	875	1929	300	44

**GODDARD**

**GODDARD**



# TRANSFORCE 768 <sup>NOM</sup>

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
215/75R15	100	S	6J	218	703	800	1764	350	50
LT235/75R15 8PR	110/107	S	6 1/2J	235	733	1060/975	2335/2150	450	65
235/70R16	106	T	7J	240	736	950	2094	350	51
245/70R16	111 XL	T	7J	248	750	1090	2403	340	50
265/70R16	112	T	8J	272	778	1120	2469	350	51
265/65R17	112	H	8J	272	776	1120	2469	300	44
225/55ZR18	98	W	7J	233	705	850	1874	290	42
215/50R18	92	V	7J	226	673	630	1389	250	36
225/50ZR18	95	W	7J	233	683	775	1709	290	42
255/45ZR18	99	W	8 1/2J	255	687	875	1929	290	42
235/50R18	97	V	7 1/2J	245	693	730	1609	250	36
225/60R18	100	V	6 1/2J	228	727	800	1764	300	44
255/40R18	95	W	9J	260	661	690	1521	250	36
245/50ZR18	100	W	7 1/2J	253	703	900	1984	290	42
255/50ZR19	103	W	8J	265	739	975	2150	290	42
245/45ZR19	98	W	8J	243	703	850	1874	290	42
225/45ZR19	92	W	7 1/2J	225	685	710	1565	290	42
255/35ZR19	92	W	9J	260	661	710	1565	290	42

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
255/40ZR19	96	W	9J	260	687	710	1565	250	36
235/35ZR19	87	W	8 1/2J	251	653	615	1356	290	42
245/40ZR19	94	W	8 1/2J	248	679	750	1653	290	42
235/50R19	99	W	7 1/2J	245	719	775	1709	250	36
255/55ZR19	107	W	8J	265	763	1090	2403	290	42
275/45ZR19	104	W	9J	273	731	1000	2205	290	42
275/40ZR19	101	W	9 1/2J	278	703	925	2039	290	42
275/35ZR19	96	W	9 1/2J	278	675	800	1764	290	42
265/50ZR19	106	W	8 1/2J	277	749	1060	2335	290	42
255/45ZR19	100	W	8 1/2J	255	713	900	1984	290	42
235/45ZR19	95	W	8J	236	695	775	1709	290	42
235/40ZR19	92	W	8 1/2J	241	671	710	1565	290	42
275/40ZR20	102	W	9 1/2J	278	728	950	2094	290	42
275/45ZR20	106	W	9J	273	756	1060	2335	290	42
235/55ZR20	102	W	7 1/2J	245	766	925	2039	290	42
255/50ZR20	109 XL	W	8J	265	764	1030	2271	290	42
255/55ZR20	110 XL	W	8J	265	788	1060	2335	290	42
255/45ZR20	101	W	8 1/2J	255	738	925	2039	290	42



# LIBERUD GL267 NOM

Size	Load Index	Speed Symbols	Rim	Inflation Section Width(mm)	Inflation Overall Diameter(mm)	Max Load		Inflated Pressure	
						KG	LBS	KPA	PSI
175/70R14LT 6PR	95/93	S	5J	176	606	690/650	1521/1433	375	54

***GODDARD***

**CATÁLOGO 2023**

